## PRODUCT INFORMATION PACKET



Model No: GF2031L Catalog No: GF2031L

Fan and Blower Motor, 1/3 HP, 1 Ph, 60 Hz, 115 V, 1800 RPM, 56Z Frame, OPEN



Regal and Century are trademarks of Regal Rexnord Corporation or one of its affiliated companies.

©2022 Regal Rexnord Corporation, All Rights Reserved. MC017097E





## Nameplate Specifications

Output HP	1/3 Hp	Output KW	0.25 kW	
Frequency	60 Hz	Voltage	115 V	
Current	6.2 A	Speed	1725 rpm	
Service Factor	1	Phase	1	
Duty	Continuous	Insulation Class	В	
Frame	56Z	Enclosure	Open Enclosed	
Thermal Protection	No Protection	Ambient Temperature	40 °C	
UL	No	CSA	Υ	
CE	N	Number of Speeds	1	

## **Technical Specifications**

Electrical Type	Split Phase	Starting Method	Across The Line
Poles	4	Rotation	Reversible
Mounting	Resilient Base	Drive End Bearing	Sleeve
Opp Drive End Bearing	Sleeve	Frame Material	Rolled Steel
Shaft Type	Flat	Overall Length	9.40 in
Frame Length	4.94 in	Shaft Diameter	0.500 in
Shaft Extension	1.62 in		
Connection Drawing	626987-001A	Outline Drawing	GF2031L-S01

This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created:11/28/2022

