

# PRODUCT INFORMATION PACKET



Model No: C782RB  
Catalog No: C782RB

Belt Drive Fan Motor, 1.0 HP, 1 Ph, 60 Hz, 230/115 V, 1800 RPM, L56None Frame, TENV



Regal and Century are trademarks of Regal Rexnord Corporation or one of its affiliated companies.  
©2024 Regal Rexnord Corporation, All Rights Reserved. MC017097E





**Nameplate Specifications**

Phase	1	Output HP	1.0 Hp
Output KW	0.75 kW	Voltage	230/115 V
Speed	1725/1425 rpm	Service Factor	1.4
Frame	L56None	Enclosure	Totally Enclosed Non Ventilated
Thermal Protection	Thermally Protected	Ambient Temperature	40 °C
Frequency	60 Hz	Current	4.3/8.6/5.2/10.4 A
Duty	Continuous	Insulation Class	B
UL	Recognized	CSA	Y
CE	N	Number of Speeds	1

**Technical Specifications**

Electrical Type	Capacitor Start, Capacitor Run, Low Starting Torque, Single Or Dual Voltage	Starting Method	Across The Line
Poles	4	Rotation	Reversible Clockwise
Mounting	Removable Base	Drive End Bearing	Ball
Opp Drive End Bearing	Ball	Frame Material	Rolled Steel
Shaft Type	Keyed	Overall Length	12.19 in
Frame Length	6.25 in	Shaft Diameter	0.625 in
Shaft Extension	1.94 in		
Connection Drawing	17050301.PCX	Outline Drawing	C782RB-S01

This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created:04/25/2024

