
PRODUCT INFORMATION PACKET



Model No: F344V1 Catalog No: F344V1

Fan and Blower Motor, 1/3 HP, 1 Ph, 60 Hz, 230/115 V, 3600 RPM, K48Z Frame, DP









Nameplate Specifications

Output HP	1/3 Hp	Output KW	0.25 kW	
Frequency	60 Hz	Voltage	230/115 V	
Current	3.2/6.3 A	Speed	3450 rpm	
Service Factor	1.35	Phase	1	
Duty	Continuous	Insulation Class	В	
Frame	K48Z	Enclosure	Drip Proof	
Thermal Protection	Thermally Protected	Ambient Temperature	40 °C	
UL	Recognized	CSA	Υ	
CE	N	Number of Speeds	1	

Technical Specifications

Electrical Type	Split Phase, Induction Run, Single Or Dual Voltage	Starting Method	Across The Line
Poles	2	Rotation	Reversible Counterclockwise
Mounting	Cushion Base	Drive End Bearing	Ball
Opp Drive End Bearing	Ball	Frame Material	Rolled Steel
Shaft Type	Keyed	Overall Length	10.25 in
Frame Length	5.60 in	Shaft Diameter	0.500 in
Shaft Extension	2.31 in		
Connection Drawing	17050317.PCX	Outline Drawing	18884401-001-S01

This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created:11/28/2022

